



State of New Hampshire
Environmental Laboratory Accreditation Program
Awards

PRIMARY NH ELAP ACCREDITATION

to

GREAT LAKES ENVIRONMENTAL CENTER INC (MI)

of

TRAVERSE CITY, MI

For the matrix, method and analytes listed on the latest Analyte List in accordance
with the provisions on the 2016 TNI Standards and Env-C 300.

Certificate Number: 205922

Effective Date: 9/2/2022

Expiration Date: 9/1/2023

Laboratory ID: 2059



Bill Hall
GREAT LA 9/6/2022

Bill Hall
NH ELAP Program Manager

Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 205922-A



GREAT LAKES ENVIRONMENTAL CENTER INC (MI)
739 HASTINGS STREET

TRAVERSE CITY MI 49686
231-941-2230
Lab ID: 2059



Analyte Code	Analyte Name	Effective Date	Expiration Date	Matrix	Category	Accr. Type
Method Code: 20022508	Method Ref: SM 4500-N C-2011		Revision:		Date: 2011	
1827	TOTAL NITROGEN	04/15/2021	09/01/2023	N	NMI	NE
Method Code: 20045618	Method Ref: SM 2320 B-2011		Revision:		Date: 2011	
1505	ALKALINITY AS CaCO ₃	08/18/2014	09/01/2023	N	NMI	NE
Method Code: 20047614	Method Ref: SM 2340 C-2011		Revision:		Date: 2011	
1755	TOTAL HARDNESS AS CaCO ₃	08/18/2014	09/01/2023	N	NMI	NE
Method Code: 20050413	Method Ref: SM 2540 C-2011		Revision:		Date: 2011	
1955	RESIDUE-FILTERABLE (TDS)	08/18/2014	09/01/2023	N	NMI	NE
Method Code: 20051212	Method Ref: SM 2540 D-2011		Revision:		Date: 2011	
1960	RESIDUE-NONFILTERABLE (TSS)	08/18/2014	09/01/2023	N	NMI	NE
Method Code: 20086811	Method Ref: SM 4500-CL⁻ E-2011		Revision:		Date: 2011	
1575	CHLORIDE	08/18/2014	09/01/2023	N	NMI	NE
Method Code: 20111211	Method Ref: SM 4500-NH₃ G		Revision: 22ND ED		Date: 2011	
1515	AMMONIA AS N	07/21/2022	09/01/2023	N	NMI	NE
Method Code: 20112816	Method Ref: SM 4500-NO₂ B		Revision: 22ND ED		Date: 2011	
1840	NITRITE AS N	08/18/2014	09/01/2023	N	NMI	NE
Method Code: 20117628	Method Ref: SM 4500-NO₃ F-2011		Revision:		Date: 2011	
1820	NITRATE PLUS NITRITE AS N	04/15/2021	09/01/2023	N	NMI	NE
Method Code: 20120245	Method Ref: SM 4500-NORG D		Revision: 22ND ED		Date: 2011	
1795	TOTAL KJELDAHL NITROGEN (TKN)	08/18/2014	09/01/2023	N	NMI	NE
Method Code: 20124816	Method Ref: SM 4500-P F		Revision: 22ND ED		Date: 2011	
1870	ORTHOPHOSPHATE AS P	08/18/2014	09/01/2023	N	NMI	NE
1910	TOTAL PHOSPHORUS	08/18/2014	09/01/2023	N	NMI	NE
Method Code: 20300247	Method Ref: SM 10200 H		Revision: 22ND ED		Date: 2011	
9344	CHLOROPHYLL A	11/10/2015	09/01/2023	N	NMI	NE
Method Code: 10213602	Method Ref: EPA 2000.0 - FATHEAD MINNOW, 48-HR ACUTE, NONRENEW		Revision: 5TH ED		Date: 2002	
3460	LC50	07/21/2022	09/01/2023	N	TOX	NE
Method Code: 10213624	Method Ref: EPA 2002.0 - CERIODAPHNIA DUBIA, 48-HR ACUTE, NON-		Revision: 5TH ED		Date: 2002	
3460	LC50	07/21/2022	09/01/2023	N	TOX	NE
Method Code: 10214207	Method Ref: EPA 1000.0 - FATHEAD MINNOW, 7-DAY CHRONIC, DAILY		Revision:		Date: 2002	
3470	IC25 (ON) GROWTH	07/21/2022	09/01/2023	N	TOX	NE
3475	NOEC (GROWTH)	07/21/2022	09/01/2023	N	TOX	NE
3465	NOEC (SURVIVAL)	07/21/2022	09/01/2023	N	TOX	NE
Method Code: 10214581	Method Ref: EPA 2002.0 - CERIODAPHNIA ACUTE TOXICITY		Revision: 5TH ED		Date: 2002	
3460	LC50	07/21/2022	09/01/2023	N	TOX	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 205922-A



GREAT LAKES ENVIRONMENTAL CENTER INC (MI)
739 HASTINGS STREET

TRAVERSE CITY MI 49686
231-941-2230
Lab ID: 2059



Method Code: 10215200	Method Ref: EPA 1002.0 - CERIODAPHNIA DUBIA, 7-DAY CHRONIC, Revision: 5TH ED				Date: 2002		
	DA						
3480	IC25 REPRODUCTION	07/21/2022	09/01/2023	N	TOX	NE	
3465	NOEC (SURVIVAL)	07/21/2022	09/01/2023	N	TOX	NE	
3485	NOEC REPRODUCTION	07/21/2022	09/01/2023	N	TOX	NE	
Method Code: 10252605	Method Ref: EPA 1000.0 - FATHEAD MINNOW CHRONIC TOXICITY Revision:				Date: 2002		
3470	IC25 (ON) GROWTH	07/21/2022	09/01/2023	N	TOX	NE	
3475	NOEC (GROWTH)	07/21/2022	09/01/2023	N	TOX	NE	
3465	NOEC (SURVIVAL)	07/21/2022	09/01/2023	N	TOX	NE	
Method Code: 10253028	Method Ref: EPA 1002.0 - CERIODAPHNIA DUBIA, 3-BROOD Revision: 5TH ED				Date: 2002		
	CHRONIC,						
3480	IC25 REPRODUCTION	07/21/2022	09/01/2023	N	TOX	NE	
3465	NOEC (SURVIVAL)	07/21/2022	09/01/2023	N	TOX	NE	
3485	NOEC REPRODUCTION	07/21/2022	09/01/2023	N	TOX	NE	
Method Code: 10264809	Method Ref: EPA 2000.0 - FATHEAD MINNOW ACUTE TOXICITY Revision: 5TH ED				Date: 2002		
3460	LC50	07/21/2022	09/01/2023	N	TOX	NE	
Method Code: NH0248	Method Ref: SM 4500-P F MODIFIED Revision: 22ND ED				Date: 2011		
1910	TOTAL PHOSPHORUS	06/23/2016	09/01/2023	SC	NMI	NE	
Method Code: 10294516	Method Ref: EPA/600/R-99/064 20-DAY CHIRONOMUS DILUTUS (100.5) Revision:				Date: 2000		
3210	10 DAY % SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE	
3215	10 DAY BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE	
3220	10 DAY GROWTH	02/02/2021	09/01/2023	SC	TOX	NE	
3225	20 DAY % SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE	
3230	20 DAY BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE	
3235	20 DAY GROWTH	02/02/2021	09/01/2023	SC	TOX	NE	
3470	IC25 (ON) GROWTH	02/02/2021	09/01/2023	SC	TOX	NE	
3472	IC25 BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE	
3482	IC25 SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE	
3467	LOEC (BIOMASS)	02/02/2021	09/01/2023	SC	TOX	NE	
3468	LOEC (GROWTH)	02/02/2021	09/01/2023	SC	TOX	NE	
3469	LOEC (SURVIVAL)	02/02/2021	09/01/2023	SC	TOX	NE	
3477	NOEC (BIOMASS)	02/02/2021	09/01/2023	SC	TOX	NE	
3475	NOEC (GROWTH)	02/02/2021	09/01/2023	SC	TOX	NE	
3465	NOEC (SURVIVAL)	02/02/2021	09/01/2023	SC	TOX	NE	
Method Code: 10294527	Method Ref: EPA/600/R-99/064 28-DAY HYALELLA AZTECA (100.4) Revision:				Date: 2000		
3210	10 DAY % SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE	
3215	10 DAY BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE	

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 205922-A



GREAT LAKES ENVIRONMENTAL CENTER INC (MI)
739 HASTINGS STREET

TRAVERSE CITY MI 49686
231-941-2230
Lab ID: 2059



3220	10 DAY GROWTH	02/02/2021	09/01/2023	SC	TOX	NE
3240	28 DAY % SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE
3245	28 DAY BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE
3250	28 DAY GROWTH	02/02/2021	09/01/2023	SC	TOX	NE
3470	IC25 (ON) GROWTH	02/02/2021	09/01/2023	SC	TOX	NE
3472	IC25 BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE
3482	IC25 SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE
3467	LOEC (BIOMASS)	02/02/2021	09/01/2023	SC	TOX	NE
3468	LOEC (GROWTH)	02/02/2021	09/01/2023	SC	TOX	NE
3469	LOEC (SURVIVAL)	02/02/2021	09/01/2023	SC	TOX	NE
3477	NOEC (BIOMASS)	02/02/2021	09/01/2023	SC	TOX	NE
3475	NOEC (GROWTH)	02/02/2021	09/01/2023	SC	TOX	NE
3465	NOEC (SURVIVAL)	02/02/2021	09/01/2023	SC	TOX	NE
Method Code: 10294732 Method Ref: EPA 100.2 EPA/600/R-99/064 (10-DAY CHIR DIL)		Revision:		Date: 2000		
3210	10 DAY % SURVIVAL	11/18/2013	09/01/2023	SC	TOX	NE
3215	10 DAY BIOMASS	11/18/2013	09/01/2023	SC	TOX	NE
3220	10 DAY GROWTH	11/18/2013	09/01/2023	SC	TOX	NE
Method Code: 10294754 Method Ref: EPA 100.1 EPA/600/R-99/064 (10-DAY HYA AZT)		Revision:		Date: 2000		
3210	10 DAY % SURVIVAL	11/18/2013	09/01/2023	SC	TOX	NE
3215	10 DAY BIOMASS	11/18/2013	09/01/2023	SC	TOX	NE
3220	10 DAY GROWTH	11/18/2013	09/01/2023	SC	TOX	NE
Method Code: 10294776 Method Ref: EPA 100.3 EPA/600/R-99/064 (LUM VAR BIOCONC)		Revision:		Date:		
3255	28 DAY RECOVERY (WEIGHT)	11/18/2013	09/01/2023	SC	TOX	NE
3265	4 DAY % SURVIVAL	11/18/2013	09/01/2023	SC	TOX	NE
Method Code: 30001719 Method Ref: ASTM 1706-05 (10-DAY HYALELLA AZTECA)		Revision:		Date:		
3210	10 DAY % SURVIVAL	10/28/2016	09/01/2023	SC	TOX	NE
3215	10 DAY BIOMASS	10/28/2016	09/01/2023	SC	TOX	NE
3220	10 DAY GROWTH	10/28/2016	09/01/2023	SC	TOX	NE
Method Code: 30001764 Method Ref: ASTM 1706-05 (20-DAY CHIRONOMUS DILUTUS)		Revision:		Date: 2005		
3210	10 DAY % SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE
3215	10 DAY BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE
3220	10 DAY GROWTH	02/02/2021	09/01/2023	SC	TOX	NE
3225	20 DAY % SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE
3230	20 DAY BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE
3235	20 DAY GROWTH	02/02/2021	09/01/2023	SC	TOX	NE
3470	IC25 (ON) GROWTH	02/02/2021	09/01/2023	SC	TOX	NE
3472	IC25 BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 205922-A



GREAT LAKES ENVIRONMENTAL CENTER INC (MI)
739 HASTINGS STREET

TRAVERSE CITY MI 49686
231-941-2230
Lab ID: 2059



3482	IC25 SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE
3467	LOEC (BIOMASS)	02/02/2021	09/01/2023	SC	TOX	NE
3468	LOEC (GROWTH)	02/02/2021	09/01/2023	SC	TOX	NE
3469	LOEC (SURVIVAL)	02/02/2021	09/01/2023	SC	TOX	NE
3477	NOEC (BIOMASS)	02/02/2021	09/01/2023	SC	TOX	NE
3475	NOEC (GROWTH)	02/02/2021	09/01/2023	SC	TOX	NE
3465	NOEC (SURVIVAL)	02/02/2021	09/01/2023	SC	TOX	NE
Method Code: 30001775 Method Ref: ASTM 1706-05 (10-DAY CHIRONOMUS DILUTUS) Revision: Date:						
3210	10 DAY % SURVIVAL	10/28/2016	09/01/2023	SC	TOX	NE
3215	10 DAY BIOMASS	10/28/2016	09/01/2023	SC	TOX	NE
3220	10 DAY GROWTH	10/28/2016	09/01/2023	SC	TOX	NE
Method Code: 30001786 Method Ref: ASTM 1706-05 (28-DAY HYALELLA AZTECA) Revision: Date: 2005						
3210	10 DAY % SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE
3215	10 DAY BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE
3220	10 DAY GROWTH	02/02/2021	09/01/2023	SC	TOX	NE
3240	28 DAY % SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE
3245	28 DAY BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE
3250	28 DAY GROWTH	02/02/2021	09/01/2023	SC	TOX	NE
3470	IC25 (ON) GROWTH	02/02/2021	09/01/2023	SC	TOX	NE
3472	IC25 BIOMASS	02/02/2021	09/01/2023	SC	TOX	NE
3482	IC25 SURVIVAL	02/02/2021	09/01/2023	SC	TOX	NE
3467	LOEC (BIOMASS)	02/02/2021	09/01/2023	SC	TOX	NE
3468	LOEC (GROWTH)	02/02/2021	09/01/2023	SC	TOX	NE
3469	LOEC (SURVIVAL)	02/02/2021	09/01/2023	SC	TOX	NE
3477	NOEC (BIOMASS)	02/02/2021	09/01/2023	SC	TOX	NE
3475	NOEC (GROWTH)	02/02/2021	09/01/2023	SC	TOX	NE
3465	NOEC (SURVIVAL)	02/02/2021	09/01/2023	SC	TOX	NE


GREAT LAK 9/5/2022

Bill Hall
NH ELAP Program Manager
Issue Date: 09/05/2022

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 205922-A



GREAT LAKES ENVIRONMENTAL CENTER INC (MI)
739 HASTINGS STREET

TRAVERSE CITY MI 49686
231-941-2230
Lab ID: 2059



Matrix Legend: AE=Air; BT=Tissue; D=Drinking Water; N=Non-Potable Water; SC=Solid and Chemical Materials

Category Legend: MIC=Microbiology; MET=Metals; NMI=Non-Metal Inorganics; PRE=Preparation; VOC=Volatile Organic Compounds; SBN=SVOC-BNA; SHE=SVOC-Herbicides; SNO=SVOC-NOS; SPC=SVOC-PCB; SPE=SVOC-Pesticides; RAD=Radiochemistry; WET=Wet, PFC=Perfluorinated compound

Accreditation Legend: NE=NELAP; NH=NH State Certification; CE=State Certification; IN=Interim (NELAP); WI=Withdrawn; AP=Applied; RE=Revoked; SU=Suspended

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2023
Issued August 23, 2022

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. DENNIS MCCAULEY
GREAT LAKES ENVIRONMENTAL CENTER INC
739 HASTINGS STREET
TRAVERSE CITY, MI 49686

NY Lab Id No: 12162

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved subcategories and/or analytes are listed below:

Aquatic Toxicity

Fathead minnow-Pimephales promelas	EPA 1000.0
	EPA 2000.0
Water flea-Ceriodaphnia dubia	EPA 1002.0
	EPA 2002.0

NEW YORK
STATE OF
OPPORTUNITY

Department
of Health

Serial No.: 65474

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



State of New Hampshire
Environmental Laboratory Accreditation Program
Awards

PRIMARY NH ELAP ACCREDITATION

to

GREAT LAKES ENVIRONMENTAL CENTER INC (OH)

of

COLUMBUS, OH

For the matrix, method and analytes listed on the latest Analyte List in accordance
with the provisions on the 2016 TNI Standards and Env-C 300.

Certificate Number: 283822

Effective Date: 7/19/2022

Expiration Date: 7/18/2023

Laboratory ID: 2838



Bill Hall
GREAT LA 7/19/2022

Bill Hall
NH ELAP Program Manager

Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 283822-A



GREAT LAKES ENVIRONMENTAL CENTER INC (OH)
1295 KING AVE

COLUMBUS OH 43212
614-487-1040
Lab ID: 2838



Analyte Code	Analyte Name	Effective Date	Expiration Date	Matrix	Category	Accr. Type
Method Code: 10213602	Method Ref: EPA 2000.0 - FATHEAD MINNOW, 48-HR ACUTE, NONRENEW		Revision: 5TH ED		Date: 2002	
3460 LC50		06/08/2020	07/18/2023	N	TOX	NE
Method Code: 10213624	Method Ref: EPA 2002.0 - CERIODAPHNIA DUBIA, 48-HR ACUTE, NON-		Revision: 5TH ED		Date: 2002	
3460 LC50		06/08/2020	07/18/2023	N	TOX	NE
Method Code: 10214207	Method Ref: EPA 1000.0 - FATHEAD MINNOW, 7-DAY CHRONIC, DAILY		Revision:		Date: 2002	
3470 IC25 (ON) GROWTH		06/08/2020	07/18/2023	N	TOX	NE
3475 NOEC (GROWTH)		06/08/2020	07/18/2023	N	TOX	NE
3465 NOEC (SURVIVAL)		06/08/2020	07/18/2023	N	TOX	NE
Method Code: 10214581	Method Ref: EPA 2002.0 - CERIODAPHNIA ACUTE TOXICITY		Revision: 5TH ED		Date: 2002	
3460 LC50		06/08/2020	07/18/2023	N	TOX	NE
Method Code: 10215200	Method Ref: EPA 1002.0 - CERIODAPHNIA DUBIA, 7-DAY CHRONIC, DA		Revision: 5TH ED		Date: 2002	
3480 IC25 REPRODUCTION		06/08/2020	07/18/2023	N	TOX	NE
3465 NOEC (SURVIVAL)		06/08/2020	07/18/2023	N	TOX	NE
3485 NOEC REPRODUCTION		06/08/2020	07/18/2023	N	TOX	NE
Method Code: 10215426	Method Ref: EPA 2021.0 - DAPHNIA PULEX ACUTE TOXICITY		Revision: 5TH ED		Date: 2002	
3460 LC50		06/08/2020	07/18/2023	N	TOX	NE
Method Code: 10215608	Method Ref: EPA 2021.0 - DAPHNIA PULEX, 48-HR ACUTE, NONRENEWA		Revision: 5TH ED		Date: 2002	
3460 LC50		06/08/2020	07/18/2023	N	TOX	NE
Method Code: 10253028	Method Ref: EPA 1002.0 - CERIODAPHNIA DUBIA, 3-BROOD CHRONIC,		Revision: 5TH ED		Date: 2002	
3480 IC25 REPRODUCTION		06/08/2020	07/18/2023	N	TOX	NE
3465 NOEC (SURVIVAL)		06/08/2020	07/18/2023	N	TOX	NE
3485 NOEC REPRODUCTION		06/08/2020	07/18/2023	N	TOX	NE
Method Code: 10264809	Method Ref: EPA 2000.0 - FATHEAD MINNOW ACUTE TOXICITY		Revision: 5TH ED		Date: 2002	
3460 LC50		06/08/2020	07/18/2023	N	TOX	NE
Method Code: 10294732	Method Ref: EPA 100.2 EPA/600/R-99/064 (10-DAY CHIR DIL)		Revision:		Date: 2000	
3210 10 DAY % SURVIVAL		06/08/2020	07/18/2023	SC	TOX	NE
3215 10 DAY BIOMASS		06/08/2020	07/18/2023	SC	TOX	NE
3220 10 DAY GROWTH		06/08/2020	07/18/2023	SC	TOX	NE
Method Code: 10294754	Method Ref: EPA 100.1 EPA/600/R-99/064 (10-DAY HYA AZT)		Revision:		Date: 2000	
3210 10 DAY % SURVIVAL		06/08/2020	07/18/2023	SC	TOX	NE
3215 10 DAY BIOMASS		06/08/2020	07/18/2023	SC	TOX	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 283822-A



GREAT LAKES ENVIRONMENTAL CENTER INC (OH)
1295 KING AVE

COLUMBUS OH 43212
614-487-1040
Lab ID: 2838



3220	10 DAY GROWTH	06/08/2020	07/18/2023	SC	TOX	NE
Method Code: 10294765		Method Ref: EPA 100.4 EPA/600/R-99/064 (42-DAY HYA AZT)		Revision:		Date: 2000
3210	10 DAY % SURVIVAL	06/08/2020	07/18/2023	SC	TOX	NE
3215	10 DAY BIOMASS	06/08/2020	07/18/2023	SC	TOX	NE
3220	10 DAY GROWTH	06/08/2020	07/18/2023	SC	TOX	NE
3240	28 DAY % SURVIVAL	06/08/2020	07/18/2023	SC	TOX	NE
3245	28 DAY BIOMASS	06/08/2020	07/18/2023	SC	TOX	NE
3250	28 DAY GROWTH	06/08/2020	07/18/2023	SC	TOX	NE
3275	42 DAY % SURVIVAL	06/08/2020	07/18/2023	SC	TOX	NE
3270	42 DAY BIOMASS	06/08/2020	07/18/2023	SC	TOX	NE
3280	42 DAY GROWTH	06/08/2020	07/18/2023	SC	TOX	NE
3285	42 DAY YOUNG/FEMALE (REPRODUCTION)	06/08/2020	07/18/2023	SC	TOX	NE
3470	IC25 (ON) GROWTH	06/08/2020	07/18/2023	SC	TOX	NE
3472	IC25 BIOMASS	06/08/2020	07/18/2023	SC	TOX	NE
3482	IC25 SURVIVAL	06/08/2020	07/18/2023	SC	TOX	NE
3467	LOEC (BIOMASS)	06/08/2020	07/18/2023	SC	TOX	NE
3468	LOEC (GROWTH)	06/08/2020	07/18/2023	SC	TOX	NE
3469	LOEC (SURVIVAL)	06/08/2020	07/18/2023	SC	TOX	NE
3477	NOEC (BIOMASS)	06/08/2020	07/18/2023	SC	TOX	NE
3475	NOEC (GROWTH)	06/08/2020	07/18/2023	SC	TOX	NE
3465	NOEC (SURVIVAL)	06/08/2020	07/18/2023	SC	TOX	NE
Method Code: 30001719		Method Ref: ASTM 1706-05 (10-DAY HYALELLA AZTECA)		Revision:		Date:
3210	10 DAY % SURVIVAL	06/08/2020	07/18/2023	SC	TOX	NE
3215	10 DAY BIOMASS	06/08/2020	07/18/2023	SC	TOX	NE
3220	10 DAY GROWTH	06/08/2020	07/18/2023	SC	TOX	NE
Method Code: 30001753		Method Ref: ASTM 1706-05 (42-DAY (LIFE CYCLE) HYALELLA AZTECA)		Revision:		Date:
3210	10 DAY % SURVIVAL	06/08/2020	07/18/2023	SC	TOX	NE
3215	10 DAY BIOMASS	06/08/2020	07/18/2023	SC	TOX	NE
3220	10 DAY GROWTH	06/08/2020	07/18/2023	SC	TOX	NE
3240	28 DAY % SURVIVAL	06/08/2020	07/18/2023	SC	TOX	NE
3245	28 DAY BIOMASS	06/08/2020	07/18/2023	SC	TOX	NE
3250	28 DAY GROWTH	06/08/2020	07/18/2023	SC	TOX	NE
Method Code: 30001775		Method Ref: ASTM 1706-05 (10-DAY CHIRONOMUS DILUTUS)		Revision:		Date:
3210	10 DAY % SURVIVAL	06/08/2020	07/18/2023	SC	TOX	NE
3215	10 DAY BIOMASS	06/08/2020	07/18/2023	SC	TOX	NE
3220	10 DAY GROWTH	06/08/2020	07/18/2023	SC	TOX	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 283822-A



GREAT LAKES ENVIRONMENTAL CENTER INC (OH)
1295 KING AVE

COLUMBUS OH 43212
614-487-1040
Lab ID: 2838



Bill Hall
GREAT LAK 7/21/2022

Bill Hall
NH ELAP Program Manager
Issue Date: 07/21/2022

Matrix Legend: AE=Air; BT=Tissue; D=Drinking Water; N=Non-Potable Water; SC=Solid and Chemical Materials

Category Legend: MIC=Microbiology; MET=Metals; NMI=Non-Metal Inorganics; PRE=Preparation; VOC=Volatile Organic Compounds; SBN=SVOC-BNA; SHE=SVOC-Herbicides; SNO=SVOC-NOS; SPC=SVOC-PCB; SPE=SVOC-Pesticides; RAD=Radiochemistry; WET=Wet; PFC=Perfluorinated compound

Accreditation Legend: NE=NELAP; NH=NH State Certification; CE=State Certification; IN=Interim (NELAP); WI=Withdrawn; AP=Applied; RE=Revoked; SU=Suspended

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).